

Product data sheet

Specifications



RACK PDU, BASIC, 0U/1U, 120-240V/15A, 220-240V/10A, (8) C13

AP6015A

Overview

Lead time Usually in Stock

Main

Color Black

Product or Component Type PDU

PDU Type Basic

Provided Equipment Installation guide
Safety guide

Complementary

Input Voltage 100 V
120 V
200 V
208 V
230 V
240 V

Height 9.4 in (24 cm)

Width 1.7 in (4.4 cm)

Output Voltage 100 V
120 V
200 V
208 V
230 V
240 V

Depth 3.7 in (9.3 cm)

Net Weight 2.006 lb(US) (0.91 kg)

mounting location Front
Rear

Mounting preference No preference

Input Plug Type IEC 60320 C14

Mounting Mode Not rack-mountable

Rack units 1U

mounting position Horizontal

Line Rated Current 12 A

Permissible voltage 100...240 V

Max line current 15 A

Input current limits 15 A

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Load Capacity	2300 VA
Input Frequency	50/60 Hz
Outlet type and quantity	8 IEC 60320 C13

Environment

Product Certifications	cUL Listed CE EAC IRAM UL Listed VDE
------------------------	---

Ordering and shipping details

GTIN	731304327790
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.3 in (28.6 cm)
Package 1 Width	5.1 in (13 cm)
Package 1 Length	8.3 in (21 cm)
Package 1 Weight	3.02 lb(US) (1.37 kg)
SCC14	10731304327797

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
