Product data sheet





Device monitoring and management, Network Management Cards, NMC3 with Environmental Monitoring, secure remote UPS monitoring and management

AP9641

Overview

Lead time Usually in Stock

Main

Product or Component Type UPS network management cards **Provided Equipment** Temperature Sensor User Manual USB cable

Physical

Depth	4.5 in (11.4 cm)
	1.0 111 (11.1 011)
Net Weight	0.20 lb(US) (0.09 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Height	1.5 in (3.8 cm)
Width	4.8 in (12.1 cm)

Conformance

Standards	EN 55022 Class A EN 55024 ICES-003
Product Certifications	AS/NZS 3548 (C-Tick) Class A
	FCC part 15 class A
	GOST
	VCCI Class A
	UK PSTI

Environmental

Ambient Air Temperature for Operation	32.0000000000113.0000000000 °F (045 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 %	
Ambient Air Temperature for Storage	23.0000000000113.0000000000 °F (-545 °C)	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	
Storage Relative Humidity	095 %	

Communications & Management

Authentication Radiu

Ordering and shipping details

GTIN 731304355540

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	2.047 in (5.200 cm)	
Package 1 Width	6.457 in (16.400 cm)	
Package 1 Length	9.449 in (24.000 cm)	
Package 1 Weight	14.286 oz (405.000 g)	

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product



Take-Back Program Available

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information