





APC Replacement battery cartridge #152 with 2 Year Warranty

APCRBC152

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Battery type	Lead-acid battery	
Provided equipment	Installation guide	

Batteries & Runtime

Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Enclosed battery cartridge	
Number of battery replacement quantity	1	

Physical

Colour	Black	
Height	7.6 cm	
Width	21 cm	
Depth	76.2 cm	
Net weight	15.29 kg	
mounting mode	Not rack-mountable	

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1545 °C
Storage altitude	0.000000000015240.0000000000 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Height	20.3 cm	
Package 1 Width	63.5 cm	
Package 1 Length	34.3 cm	
Package 1 Weight	17.55 ka	

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance

У То

Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information