# **Product data sheet**

Specification





## APC Smart-UPS On-Line SRT Battery Pack for 3kVA Extended runtime model 96V

SRT96BP

#### Overview

Lead time Usually in Stock

#### Main

| Product or Component Type | Battery                      |
|---------------------------|------------------------------|
| Battery Type              | Lead-Acid battery            |
| Provided Equipment        | Documentation CD User Manual |
|                           | Warranty card                |

## **Batteries & Runtime**

| Battery Slots Empty      | 0             |
|--------------------------|---------------|
| Included Battery Modules | 0             |
| Battery Voltage          | 96V           |
| RBC Quantity             | 2             |
| Replacement battery      | APCPRC152 [7] |

## **Physical**

| Color         | Black                 |
|---------------|-----------------------|
| Height        | 17.008 in (43.2 cm)   |
| Width         | 3.3 in (8.5 cm)       |
| Depth         | 23.4 in (59.4 cm)     |
| Net Weight    | 89.5 lb(US) (40.6 kg) |
| Mounting Mode | Rack-mounted with kit |

#### **Environmental**

| Ambient Air Temperature for<br>Operation | 32.0000000000104.0000000000 °F (040 °C)    |
|--|--|
| Operating altitude                       | 010000 ft                                  |
| Relative Humidity                        | 095 % non-condensing                       |
| Ambient Air Temperature for Storage      | 5.000000000113.0000000000 °F (-1545 °C)    |
| Storage altitude                         | 050000 ft (0.000000000015240.0000000000 m) |
| Storage Relative Humidity                | 095 % non-condensing                       |

## Ordering and shipping details



| GTIN              | 731304317722 |
|-------------------|--------------|
| Country of origin | PH           |

# **Packing Units**

| Unit Type of Package 1       | PCE                   |
|------------------------------|-----------------------|
| Number of Units in Package 1 | 1                     |
| Package 1 Height             | 9.4 in (23.9 cm)      |
| Package 1 Width              | 32.7 in (83.1 cm)     |
| Package 1 Length             | 23.6 in (59.9 cm)     |
| Package 1 Weight             | 98.1 lb(US) (44.5 kg) |

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

## Resource performance



Take-Back Program Available

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

| Eu Rohs Directive               | Pro-active compliance (Product out of EU RoHS legal scope)  |
|---------------------------------|---|
| China Rohs Regulation           | China RoHS declaration  |
| <b>Environmental Disclosure</b> | Product Environmental Profile   |
| Circularity Profile             | End of Life Information   |
| California Proposition 65       | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |