

Product datasheet

Specifications



APC Smart-UPS RT Battery Pack 192V, rackmount, 3U, wo rail kit

SRTG192XLBP4

Overview

Lead time Usually in Stock

Main

Product or component type	Battery
number of rack unit	3U
Battery type	Lead-acid battery
Provided equipment	Installation guide Warranty card
Range of product	Smart-UPS Battery Systems

Batteries & Runtime

Device mounting	Stand alone battery stack Rack mount
Number of battery filled slots	4
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	192 V
Replacement battery	APCRBC174

Physical

Colour	Black
Height	13 cm
Width	44 cm
Depth	68.3 cm
Net weight	91 kg
mounting mode	Rack-mounted
USB compatible	No

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 % non-condensing
Operating altitude	0...6600 ft
Storage Relative Humidity	0...95 % non-condensing

Storage altitude 0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33.5 cm
Package 1 Width	78 cm
Package 1 Length	58 cm
Package 1 Weight	101.5 kg

Contractual warranty

Warranty 2 years

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Eu Rohs Directive [Compliant with Exemptions](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)