

Product datasheet

Specifications



APC Performance SurgeArrest 6 outlets with 5V, 2.4A 2 port USB charger, 230V UK

PM6U-UK

Overview

Lead time Usually in Stock

Main

Main Input Voltage 230 V
Input Connection Type BS1363A British
Cable length 2.00 m
Number of cables 1
Provided equipment User manual

Physical

Colour White
Height 6.2 cm
Width 27.2 cm
Depth 11 cm
Product weight 0.81 kg
Mounting preference No preference
Mounting mode Not rack-mountable

Input

Network frequency 50 Hz +/- 5 Hz
Maximum input current 13 A
Switching current capacity 13 A

Output

Number of power socket outlets 6
Outlet standard BS 1363 United Kingdom

Conformance

Product certifications CE
Equipment protection policy Lifetime : \$50000

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...90 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-5...40 °C
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0.0000000000...4572.0000000000 m

Surge Protection and Filtering

Common mode rejection	40 dB
Peak current	48 kAcommon mode 24 kAnormal mode
Surge energy rate	1836 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	31 cm
Package 1 Width	6.5 cm
Package 1 Length	16.5 cm
Package 1 Weight	0.93 kg
SCC14	10731304313653

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)
----------	--

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Use Again

Repack and remanufacture

[Circularity Profile](#)

[End of Life Information](#)

WEEE

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Take-back

No