Product datasheet

Specifications

APC Performance SurgeArrest 8 outlets 230V UK

PM8-UK

Overview

Lead time	Usually in Stock

Main

Main Input Voltage	230 V
Input Connection Type	BS1363A British
Cable length	2.00 m
Number of cables	1
Provided equipment	User manual

Physical

Colour	White
Height	6.17 cm
Width	32.65 cm
Depth	11.03 cm
Product weight	0.91 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency	50 Hz +/- 5 Hz
Maximum input current	13 A
Switching current capacity	13 A

Output

Number of power socket outlets	8
Outlet standard	BS 1363 United Kingdom

Conformance

Product certifications	CE
Equipment protection policy	Lifetime : 50000 euros

Environmental

Ambient air temperature for operation	0…40 ℃
Relative humidity	0…90 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-5…40 ℃
Storage Relative Humidity	0…95 % non-condensing
Storage altitude	0.0000000000…4572.0000000000 m

Surge Protection and Filtering

Common mode rejection	60 dB
Peak current	48 kAcommon mode 60 kAnormal mode
Surge energy rate	2754 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	36.5 cm
Package 1 Width	6.4 cm
Package 1 Length	17 cm
Package 1 Weight	1.05 kg
SCC14	10731304313592

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)

Life Is On | **APC** by Schneider Electric

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**REACh Declaration**
China RoHS Regulation	**China RoHS declaration**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
WEEE	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**
Take-back	**No**